Missing Regional/Local Language Search Configuration in Koha

<u>Prepared by</u> <u>Vinod Kumar Mishra</u> <u>Email: mishravk79@gmail.com</u>

NEP2020 emphasizes the importance of education in regional languages, and the Government of India is actively promoting the translation and writing of books in these languages. This initiative holds great potential for libraries to diversify their collections by incorporating materials in multiple languages. However, the existing Online Public Access Catalogue (OPAC) search feature in Koha faces a notable challenge due to its limited number of Indian language search filters.

As of version 23.11, Koha's advanced search options provide only 6 or 7 Indian language search filters. This shortfall poses difficulties for users seeking to explore available books in languages such as Oriya, Assamese, Malayalam, Sanskrit, and others. Many libraries have opted to categorize books by language in Integrated Library Management Systems (ILMS) like Koha, creating specific book types for each language. While this categorization may appear unconventional, it has been implemented to segregate books by language and generate reports based on language—a practice that may seem illogical.

To address this issue, one of the following step-by-step guide assists Koha ILMS users in configuring or creating languages not available by default. This enables a smoother browsing experience and facilitates the generation of reports on library collections based on language. It's important to note that the current language filter in the advanced search of Koha considers the language code entered in MARC 008 and 041\$a fields, as illustrated in the figure 1.

Step 1

The cataloguer must enter the language code of the book in 008 and/or 041\$a MARC field in order to search the book by its language. The standard language code for every language is available at https://www.loc.gov/marc/languages/language_code.html. In figure 1 language code 'san' is written for Sanskrit book.



Figure 1 : MARC fields to be filled with Language code

Step 2

Open the terminal in linux and enter into the mysql database by executing the following commands:

```
root@koha# mysql -uroot -p
Enter password:*****
MariaDB> use koha_library; (Database changed command)
MariaDB [koha_library]>
```

Step 3

Execute the following commnds to inject the language code and other details in concern table

(to insert the data in table **language_descriptions** execute following command)

```
MariaDB [koha_library]> INSERT INTO language_descriptions (subtag, type, lang,
description) VALUES ('sa', 'language', 'en', 'Sanskrit');
```

(to insert other language data in table language_descriptions execute following command)

```
INSERT INTO language_descriptions (subtag, type, lang, description) VALUES ('sa', 'language', 'sa', 'संस्कृत्');
```

(to insert the data in table **language_subtag_registry** execute following command)

```
MariaDB [koha_library]> INSERT INTO language_subtag_registry (subtag,
type,description) VALUES ('sa', 'language', 'Sanskrit');
```

MariaDB [koha_library]> INSERT INTO language_subtag_registry (subtag, type, desc ription) VALUES ('sa', 'language', 'Sanskrit'); Query OK, 1 row affected (0.010 sec) MariaDB [koha_library]>

```
Figure 2: Message on succesful execution/Insert of languages descriptions
```

(to insert the standard code data in table **anguage_rfc4646_to_iso639** execute following command)

```
MariaDB [koha_library]> INSERT INTO language_rfc4646_to_iso639
(rfc4646_subtag,iso639_2_code) VALUES ('sa', 'san');
```

Step 4

Now check the language **Sanskrit** in advance search option under Language filter, it will display the added language as shown in the below figure.

	0 0 0 0	, - <u>-</u> , - <u>-</u> ,,,, ond, op ac scal ci		2			
Advan	cea search Authority :	search Tag cloud Library					
Home)	Advanced search						
Adva	nced search	मराठी (Marathi)	मराठी (Marathi) Монгол (Mongolian) Multiple languages नेपाली (Nepali) No linguistic content				
Search	for:	Монгол (Мопо					
and	Keyword	Multiple langu नेपाली (Nepali) No linguistic co					
and	Keyword			Norsk bokmål Norsk nynorsk Ekipangwa (Pa	(Norwegian bokmå (Norwegian nynors Ingwa)		
		Persiar) فارسی Polski (Polish)	فارسی (Persian) Polski (Polish)				
Item t	ype	Português (Po Română (Roma	Português (Portuguese) Română (Romanian)				
Limit	Русский (Russ संस्कृत् (Sanskrif	Русский (Russian) संस्कृत् (Sanskrit)					
υЩ	Gàidhlig (Scott Српски (Serbia	Gàidhlig (Scottish Gaelic) Српски (Serbian)					
Availa	ability:	Sort by:	Publication date range	(Sinoni) (Sinoni) Slovenčina (Slo Slovenščina (Sl	کار (Sindhi) Slovenčina (Slovak) Slovenščina (Slovene)		
onl availa	y items currently ble for loan or	Relevance	For example: 1999-2001. You could	No limit	~		

Figure 3: Language filter availabe in Advance search of Koha OPAC

Now, you and your users have the capability to search for books by language in the library. Librarians can also generate reports and statistics on collections available in regional or local languages.

Configuration of Language with phpMyAdmin

Those familiar with phpMyAdmin can install it and easily incorporate language codes and other descriptions into the table using the Graphical User Interface (GUI), following the commands outlined above.

🗄 📝 item_editor_templates	← Ҭ→ ▼			subtag	type	lang	description	id ⊽ 1	
🕂 🖌 item_groups		🖉 Edit	сору	Delete	sa	language	sa	संस्कृत्	501
item_group_items		🖉 Edit	Copy	😂 Delete	sa	language	en	Sanskrit	500
• Ianguage_descriptions		🥜 Edit	🔓 Сору	Delete	ZXX	language	pl	Dokument nietekstowy	493
Hanguage_rfc4646_to_iso6		🖉 Edit	с Сору	🔵 Delete	ZXX	language	de	Kein sprachlicher Inhalt	492
Hanguage_script_bidi		🖉 Edit	Copy	🥥 Delete	ZXX	language	fr	Pas de contenu linguistique	491
language_script_mapping language_subtag_registry		🥜 Edit	Copy	\ominus Delete	ZXX	language	en	No linguistic content	490
	_	-	-						

References:

https://www.loc.gov/marc/languages/language_code.html
https://www.iana.org/assignments/language-subtag-registry/language-subtag-registry
https://bywatersolutions.com/education/koha-tutorial-searching-opac-language